



STAY FOCUSED ON THE RIDE.



CONTENT

4 ABOUT CICLOVATION

8 HALO TOUCH

14 GRIND TOUCH

16 LEATHER TOUCH

36 FEATHERLITE

38 SILICONE TOUCH

40 3D CARBON TOUCH

42 VELVET TOUCH

44 SUEDE TOUCH

45 FLAT TOUCH

46 LOCK-IN BAR END PLUG

48 TRAIL WRAP TAPED GRIP

55 PERFORMANCE HAND GRIP

60 YOUTH RAD WRAP GRIP

62 YOUTH RAD WRAP KIT

64 WRAP TAPE

68 TAI CHI BOTTLE CAGE

70 TUBELESS READY

74 DISC BRAKE PAD

80 RIM BRAKE PAD

84 CABLE SET

88 INNER CABLE

96 OUTER CASING

102 DISPENSER

104 END CAP

108 OTHER

OUR CORE VALUES - PERFORMANCE, CONVENIENCE, INNOVATION

CICLOVATION™, the emergent brand from HUANGS SMART CYCLING, INC., is dedicated to offering a comprehensive, one-stop solution for premium, high performance bicycle products that are competitively priced.

CICLOVATION™ - pronounced 'si-klo-va-shun' - embodies innovative products that improve usability.

Our name says it all - C stands for CONSISTENCY while V stands for VALUE. With C and V united in our brand, we focus on maximizing these factors that are paramount to our customers.

PHILOSOPHY - PROFESSIONAL GRADE PERFORMANCE DELIVERED WITH MAXIMAL VALUE

These are the uncompromising details that elevate enjoyment and performance with every ride. Not only do we care about the rider experience, we also focus on the technician who utilizes our products to offer improved service, safety and reliability. We constantly strive to offer the most innovative designs working to meet the highest demands that define premium products.



01 ——— BAR TAPE

02 ——— HAND GRIP

03 ——— BOTTLE CAGE

——— TUBELESS READY





DISC BRAKE PAD

RIM BRAKE PAD

CABLE SET

INNER CABLE

OUTER CASING

04


COMPONENT ACCESSORY

BAR TAPE

Bar tape available in a multitude of materials, textures and colors to fit every rider's body and style



PERFORMANCE COMPARISON



- Silicone Touch
- Halo Touch
- Grind Touch
- Velvet Touch
- Leather Touch
- Suede Touch
- Featherlite

Performance / Bar Tape Type	Silicone Touch	Halo Touch	Grind Touch	Velvet Touch	Leather Touch	Suede Touch	Featherlite
Comfort	8	8	9	10	10	7	8
Grip	10	7	10	9	9	5	8
Control	10	9	10	10	8	5	8
Weather Resistance	10	9	9	7	7	7	9
Recovery	10	5	7	5	6	4	6
Weight (Roll)	83g	42g	75g	52g	29g	32g	18g
Recommended Riding	RACING	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
	CLIMBING	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
	TOURING	■ ■ ■ ■ □	■ ■ ■ ■ □	■ ■ ■ ■ □	■ ■ ■ ■ □	■ ■ ■ ■ □	■ ■ ■ ■ □



PREMIUM HALO TOUCH



01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY

1 Uniquely formulated synthetic Halo Touch surface with prismatic irradiant violet texture sure to turn heads while improving grip and providing all-out performance

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue



5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Premium

Halo Touch - Irradiant Violet



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26614




BAR TAPE

- 1 Uniquely formulated synthetic Halo Touch surface with prismatic blooming red texture sure to turn heads while improving grip and providing all-out performance
- 2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment
- 3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue



- 4 Reusable, expanding locking bar plugs are reliable and resistance to falling out
- 5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Premium

Halo Touch - Blooming Red



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR




3620.26612



1 Uniquely formulated synthetic Halo Touch surface with prismatic gold mine texture sure to turn heads while improving grip and providing all-out performance


2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue



5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Gold Mine



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26613




BAR TAPE

1 Uniquely formulated synthetic Halo Touch surface with prismatic rainbow texture sure to turn heads while improving grip and providing all-out performance


2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue



5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Rainbow



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26605



1 Uniquely formulated synthetic Halo Touch surface with prismatic storm texture sure to turn heads while improving grip and providing all-out performance

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue

5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

Halo Touch - Storm



Material Halo Touch, PU with Organic Gel padded
Length 2100 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.26604





ADVANCED
GRIND TOUCH



01  BAR TAPE

02  HAND GRIP

03  BOTTLE CAGE

 TUBELESS READY



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Advanced

Grind Touch



Material Grind Touch, Rubber with Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR

-  3620.27801
Black
-  3620.27802
Classic Blue
-  3620.27803
Kale Green
-  3620.27804
Chocolate Brown



ADVANCED
LEATHER TOUCH
VAPOR METALLIC



01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY



PERFORMANCE

■■■■■□
RACING

■■■■■□
CLIMBING

■■■■■■
TOURING

Advanced


Leather Touch - Vapor Metallic 



Material Leather Touch, PU with Organic-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR

 3620.26610
Platinum

 3620.26611
Sakura

 3620.26615
Gold



ADVANCED
LEATHER TOUCH
GAMMA



PERFORMANCE

■■■■□
RACING

■■■■□□
CLIMBING

■■■■■■
TOURING

Advanced

Leather Touch - Gamma



Material Leather Touch, Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR

●
3620.26609



PREMIUM
LEATHER TOUCH
BLACK DIAMOND



01 BAR TAPE

02 HAND GRIP

03 BOTTLE CAGE

TUBELESS READY



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Premium

Leather Touch - Black Diamond



Material
Length
Width
Thickness
Plug
Finish Tape

Leather Touch, PU with Organic-Gel padded
2000 mm
30 mm
3 mm
UFO, Lock-in
Included

COLOR



3620.26601





PREMIUM
LEATHER TOUCH
RAINFOREST



01  BAR TAPE

02  HAND GRIP

03  BOTTLE CAGE

 TUBELESS READY



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Premium

Leather Touch - Rainforest



Material Leather Touch, PU with Organic-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR



3620.22603
Tree



3620.22602
Flower



3620.22601
Soil



ADVANCED
LEATHER TOUCH
MAGMA



01  BAR TAPE

02  HAND GRIP

03  BOTTLE CAGE

 TUBELESS READY



PERFORMANCE

■■■■■□
RACING

■■■■■□□
CLIMBING

■■■■■■■
TOURING

Advanced


Leather Touch - Magma



Material Leather Touch, PU with Organic-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR

 3620.26606 Ash
 3620.26607 Flame Orange
 3620.26608 Falcon Red



ADVANCED LEATHER TOUCH AURORA



01  BAR TAPE

02  HAND GRIP

03  BOTTLE CAGE

 TUBELESS READY



PERFORMANCE

■■■■□
RACING

■■■■□□
CLIMBING

■■■■■■■
TOURING


Advanced

Leather Touch - Aurora




Material Leather Touch, PU with Organic-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR

 3620.26603
Purple

 3620.26602
Blue

 3620.26616
Green





PREMIUM LEATHER TOUCH FUSION SERIES



01 BAR TAPE

02 HAND GRIP


03 BOTTLE CAGE

TUBELESS READY

1 Uniquely formulated synthetic leather with Chameleon series colorway on the iridescent textures of the drops blend into the sleek, satin black, leather-like finish of the tops for a look that exudes speed and character and for superb grip and handling performance


2 Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue

3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment



5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■■
RACING

■■■■□
CLIMBING

■■■■■■
TOURING

Premium

Leather Touch - Chameleon



Material Leather Touch, PU with Organic-Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug UFO, Lock-in
Finish Tape Included



SHINNING METALLIC



3620.22329
Chameleon Phoenix Red



3620.22330
Chameleon Amber Green



3620.22335
Chameleon Violet Purple



3620.22344
Chameleon Dawn Bronze



3620.22337
Candy Apple Red



3620.22338
Sapphire Blue



3620.22339
Sunburst Orange



3620.22346
Ruby Red



3620.22340
Satin Silver



3620.22341
Amethyst Purple



3620.22342
Envy Green



3620.22345
Crystal Orange



DISC BRAKE PAD

RIM BRAKE PAD

CABLE SET

INNER CABLE

OUTER CASING

04

COMPONENT ACCESSORY

BAR TAPE

FUSION COLOR



3620.22315
Fusion Metallic Gold



3620.22316
Fusion Metallic Silver



3620.22317
Fusion Red



3620.22318
Fusion Pink



3620.22319
Fusion White



3620.22320
Fusion Metallic Gray



3620.22321
Fusion Blue



3620.22322
Fusion Orange



3620.22323
Fusion Neon Green



3620.22324
Fusion Neon Yellow



3620.22325
Fusion Black



3620.22327
Fusion Yellow



3620.22328
Fusion Turquoise



3620.22332
Fusion Glacier Glow



3620.22334
Shooting Star / Red & White

Uniquely formulated synthetic leather printed with reflective material in fusion graphic texture at drop bar area for superb visibility and handling performance



3620.22314
Fusion Reflective



Reflected with illumination

BAR TAPE

1 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue

2 Uniquely formulated synthetic leather with 2D Carbon pattern for superb grip and handling performance



4 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Reusable, expanding locking bar plugs and highly elastic finishing tapes

PERFORMANCE

■■■■□
RACING

■■■■□
CLIMBING

■■■■■■
TOURING

Advanced

Leather Touch - 2D Carbon



Material Leather Touch, PU with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR



3620.22343

1 Multi-layer, multi-density foam laminates effectively absorbs shock, dampens vibration and minimizes fatigue

2 Uniquely formulated synthetic leather with digital pattern for superb grip and handling performance



4 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

3 Reusable, expanding locking bar plugs and highly elastic finishing tapes

PERFORMANCE

■■■■□
RACING

■■■■□□
CLIMBING

■■■■■■
TOURING

Advanced

Leather Touch -
Solid Color



Material Leather Touch, PU with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR



3620.22301
1 Pair/Display Box



• 3620.22310
10 Pairs/Workshop Box
Plugs are not included





ADVANCED
FEATHERLITE



01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY

1 Superior engineered foam technology greatly reduces weight without sacrificing elasticity and grip performance in all conditions.

2 The enhanced foam rubber laminate is uniquely formulated for additional vibration damping and comfort

3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

5 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions

4 Reusable, expanding locking bar plugs are reliable and resistance to falling out



PERFORMANCE

■■■■□
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Advanced

Featherlite



Material Featherlite, Foam rubber with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 2.5 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR

● 3620.21201 Raising Stars
 ● 3620.21202 KOM



PREMIUM
SILICONE TOUCH

3 Anti-UV, weather proof, and washable features help our Silicone Touch tape last longer - a perfect solution for high intensity usage such as indoor cycling training, Spinning Bike and cyclocross

1 Tire pattern improves anti-slip, water resistance and gripping performance

2 Silicone's natural grip properties means no backing adhesive is needed allowing for multiple re-wraps without leaving residue on the handlebars



PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□□
TOURING

Premium

Silicone Touch



Material Medical grade silicone, without adhesive
Length 2000 mm
Width 30 mm
Thickness 2.6 mm
Plug UFO, Lock-in
Finish Tape Included

COLOR

- | | | | |
|--|---|--|--|
| 
3620.25501
Black | 
3620.25502
White | 
3620.25503
Red | 
3620.25504
Green |
| 
3620.25505
Blue | 
3620.25506
Orange | 
3620.25507
Turquoise | 
3620.25508
Pink |



PREMIUM 3D CARBON TOUCH





PERFORMANCE

■■■■■
RACING

■■■■■
CLIMBING

■■■■□
TOURING

Premium

3D Carbon Touch



Material 3D Carbon Touch, PU with Gel padded
Length 2000 mm
Width 30 mm
Thickness 1.8 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR



3620.14101



ADVANCED VELVET TOUCH





PERFORMANCE


■■■■■
RACING

■■■■□
CLIMBING

■■■■□
TOURING

Advanced

Velvet Touch



Material Velvet Touch, PU with Gel padded
Length 2000 mm
Width 30 mm
Thickness 2.5 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR

● 3620.23201 Black
 ● 3620.23203 Black/Red



HIGH DENSITY SUEDE TOUCH



1 Specially formulated foam rubber layer incorporates a micro-suede finish surface which is soft to the touch and inherently non-slip for a comfortable, clean aesthetic

2 Organic GEL pad prevents adhesive residue

3 Finish tape and lock-in bar end plugs

PERFORMANCE

■■■■■
RACING

■■■■□
CLIMBING

■■■■□
TOURING

Suede Touch



Material Suede Touch, Foam rubber with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 2.5 mm
Plug VORTEX, Lock-in
Finish Tape Included

COLOR

● 3620.31213 Red
 ● 3620.31216 Gray

HIGH DENSITY FLAT TOUCH

2 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

1 High-density EVA foam with a flat surface that is soft to the touch and inherently non-slip for a comfortable, clean aesthetic

3 Highly elastic finishing tape does not deform, degrade or soften in extreme temperature and weather conditions. Push-in plug included



PERFORMANCE

■■■■□
RACING

■■■■□□
CLIMBING

■■■■□□□
TOURING

Flat Touch



Material Flat Touch, High density EVA with Organic Gel padded
Length 2000 mm
Width 30 mm
Thickness 3 mm
Plug Push-in
Finish Tape Included

COLOR




3620.31401



20 Pairs/Workshop Box

PREMIUM
LOCK-IN PLUG
VORTEX AL





1 Pair / Display Box



10 Pairs / Workshop Box



Advanced

UFO Bar End Plugs

- ▶ Reusable, expanding lock-in bar end plugs are reliable and resistance to falling out
- ▶ Fits handlebars with an ID of 18mm or greater
- ▶ Mirror black finished polymer body with inox bolt, lasered with fusion C pattern










- **3618.11101** - 1 Pair
- **3618.11113** - 10 Pairs

Advanced

VORTEX AL Bar End Plugs

- ▶ Reusable, expanding lock-in bar end plugs are reliable and resistance to falling out
- ▶ Fits handlebars with an ID of 16mm or greater
- ▶ Metallic color finished alloy cap with inox bolt, lasered with compass pattern

COLOR

					
3618.11201 Black	3618.11202 Silver	3618.11203 Red	3618.11204 Orange	3618.11205 Gold	3618.11206 Green
					
3618.11207 Blue	3618.11208 Aurora	3618.11209 Bronze			

ADVANCED TRAIL WRAP TAPED GRIP















Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip CC Fusion



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	11.5mm
Weight	80±1g
Quantity	1 Pair, Right and Left

COLOR

				
3628.23102 Fusion Black	3628.23103 Fusion White	3628.23104 Fusion Gold	3628.23105 Fusion Silver	3628.23106 Fusion Blue
				
3628.23107 Fusion Neon Yellow	3628.23108 Fusion Orange	3628.23109 Fusion Yellow	3628.23110 Fusion Neon Green	3628.23101 Fusion Red



HAND GRIP

1 Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn

3 Ideal for sports and letisure bikes focusing on style and comfort



2 Lightweight forged aluminum alloy clamp securely positions the hand grip, eliminating the potential of slippage

Premium Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Silicone



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Medical Silicone Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	11.5mm
Weight	105±1g
Quantity	1 Pair, Right and Left

COLOR



3628.12101

1 Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn



2 Lightweight forged aluminum alloy clamp securely positions the hand grip, eliminating the potential of slippage

3 Ideal for sports and letisure bikes focusing on style and comfort

Premium Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Black Diamond



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	11.5mm
Weight	82±1g
Quantity	1 Pair, Right and Left

COLOR



3628.11101

HAND GRIP

1 Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn

3 Ideal for sports and letisure bikes focusing on style and comfort



2 Lightweight forged aluminum alloy clamp securely positions the hand grip, eliminating the potential of slippage

Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Aurora



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	11.5mm
Weight	82±1g
Quantity	1 Pair, Right and Left

COLOR



3628.21101

1 Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn

3 Ideal for sports and letisure bikes focusing on style and comfort

2 Lightweight forged aluminum alloy clamp securely positions the hand grip, eliminating the potential of slippage



Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Magma



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	11.5mm
Weight	80±1g
Quantity	1 Pair, Right and Left

COLOR



3628.21102

HAND GRIP

1 Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn

3 Ideal for sports and letisure bikes focusing on style and comfort



2 Lightweight forged aluminum alloy clamp securely positions the hand grip, eliminating the potential of slippage

Advanced Compatible with OD. 22mm handlebars

Trail Wrap Taped Grip Grind



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	132.5mm
Dimension	ID. 22.5mm / OD. 30±1mm
Depth	115.0mm
Weight	101±1g
Quantity	1 Pair, Right and Left

COLOR



3628.24101

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Premium Compatible with OD. 22mm handlebars

Tomahawk Enduro Performance Grip



Type	P shape with palmrest
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	139.0mm
Dimension	ID. 22.5mm / Thickness. 33-36-35±0.5mm
Depth	139.0mm
Weight	250±1g
Quantity	1 Pair, Right and Left

COLOR



3628.14101

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Advanced Compatible with OD. 22mm handlebars

Tomahawk Lite Performance Grip



Type	P shape with palmrest
Material	Alloy Clamp / Polymer tube / High density foam rubber
Length	132.0mm
Dimension	ID. 22.5mm / Thickness. 34.5-31.5-34.5±0.5mm
Depth	132.0mm
Weight	90±1g
Quantity	1 Pair, Right and Left

COLOR



3628.14102

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Advanced Compatible with OD. 22mm handlebars

Trail Spike Conical Grip



Type	Conical shape
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	135.0mm
Dimension	ID. 22.5mm / Thickness. 33-29-32±0.5mm
Depth	129.0mm
Weight	95±1g
Quantity	1 Pair, Universal

COLOR



3628.14103

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Advanced Compatible with OD. 22mm handlebars

Natural Comfort Ergonomic Grip



Type	S shape
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	130.0mm
Dimension	ID. 22.5mm / Thickness. 33-29-33±0.5mm
Depth	126.0mm
Weight	102±1g
Quantity	1 Pair, Universal

COLOR



3628.14104

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage



2 The grip surface is textured for perfect tactility where it's needed

3 The ergonomic shape of the Tomahawk Grip effectively reduces hand fatigue and shock via a flared section that disperses pressure at the base of the palm

4 The reinforced polymer composite grip tube is easy to assemble using a single-sided clamp and an extra clamping force on bar end side

Advanced Compatible with OD. 22mm handlebars

Trail Comp Grip



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic rubber
Length	130.0mm
Dimension	ID. 22.5mm / OD. 31±1mm
Depth	126.0mm
Weight	112±1g
Quantity	1 Pair, Universal

COLOR



3628.14105



HAND GRIP

Traditional straight tube design for flat bars can be customized with a variety of bar tapes to adjust for feel or for replacement when worn

1 Lightweight forged aluminium alloy clamp securely positions the hand grip, eliminating the potential of slippage

2 Uniquely formulated synthetic leather with CC Fusion graphic texture for superb grip and handling performance

3 Reusable, lightweight locking bar plugs are reliable and securely hold the tape at grip end with perfect finish

4 Silicone flanges keep hands on the grip and offer additional protection













Advanced Compatible with OD. 19mm handlebars

Youth Rad Wrap Grip CC Fusion



Type	Traditional Straight
Material	Alloy Clamp / Polymer tube / Synthetic Leather Tape
Length	122.5mm
Dimension	ID. 19mm/OD. 26±1mm
Depth	110.0mm
Weight	80±1g
Quantity	1 Pair, Right and Left

COLOR

				
3628.23151 Fusion Black	3628.23152 Fusion White	3628.23153 Fusion Gold	3628.23154 Fusion Silver	3628.23155 Fusion Blue
				
3628.23156 Fusion Neon Yellow	3628.23157 Fusion Orange	3628.23158 Fusion Yellow	3628.23159 Fusion Neon Green	3628.23150 Fusion Red





ADVANCED YOUTH RAD WRAP KIT



01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY


1 Uniquely formulated synthetic leather with CC Fusion graphic texture for superb grip and handling performance

2 Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue

3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

4 Silicone flanges keep hands on the grip and offer additional protection

5 Reusable, expanding locking bar plugs are reliable to ensuring the tape stay in position and resistance to falling out













Advanced Compatible with OD. 22mm handlebars

Youth Rad Wrap Kit CC Fusion



Material	Leather Touch, PU with Organic-Gel padded
Length	600mm
Width	30mm
Thickness	3mm
Quantity	1 Pair

COLOR

				
3628.63202 Fusion Black	3628.63203 Fusion White	3628.63204 Fusion Gold	3628.63205 Fusion Silver	3628.63206 Fusion Blue
				
3628.63207 Fusion Neon Yellow	3628.63208 Fusion Orange	3628.63209 Fusion Yellow	3628.63210 Fusion Neon Green	3628.63201 Fusion Red




HAND GRIP

1 Uniquely formulated synthetic leather with CC Fusion graphic texture for superb grip and handling performance

2 Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue

3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment













Advanced

Leather Touch - CC Fusion



Material Leather Touch, PU with Organic-Gel padded
Length 600mm
Width 30mm
Thickness 3mm
Quantity 1 Pair

COLOR

- | | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 3628.53001
Fusion Black | 3628.53002
Fusion White | 3628.53003
Fusion Gold | 3628.53004
Fusion Silver | 3628.53005
Fusion Blue |
|  |  |  |  |  |
| 3628.53006
Fusion Neon Yellow | 3628.53050
Fusion Orange | 3628.53051
Fusion Yellow | 3628.53052
Fusion Neon Green | 3628.53053
Fusion Red |



1 Medical grade Silicone formulated pad with tire pattern is anti-slip with high tensile strength for long-term performance



2 Anti-UV, heat proof, and washable feature help it stay cleaner for longer, Single-layer pad provides enhanced tactility and vibration damping



3 No backing adhesive, able to re-wrap multiple times without leaving any adhesive on the handlebar

Premium

Silicone Touch



Material Silicone Touch, Silicone without adhesive
Length 600mm
Width 30mm
Thickness 2.6mm
Quantity 1 Pair

COLOR

- | | | | |
|---|---|---|---|
|  |  |  |  |
| 3628.42001
Black | 3628.42002
Pink | 3628.42003
Turquoise | 3628.42004
Neon Green |
|  |  |  |  |
| 3628.42005
Red | 3628.42006
Orange | 3628.42007
Blue | 3628.42008
Yellow |

1 Uniquely formulated synthetic leather with Magma inspired graphic texture for superb grip and handling performance

2 Multi-layer, multi-density foam improves shock absorption while dampening vibration to effectively minimize fatigue



3 Highly elastic and lightweight organic adhesive will not leave residue on the handlebars to ease installation and adjustment

Advanced

Leather Touch - Magma



Material Leather Touch, PU with Organic-Gel padded
Length 600mm
Width 30mm
Thickness 3mm
Quantity 1 Pair

COLOR

 3628.51001 Ash
 3628.51002 Flame Red

1 Developed specifically for gravel and mixed surface abuse, Grind Tape's unique, high-density rubber-based compound is made to withstand all weather conditions while offering enhanced grip and improved control via vibration and shock absorption

2 Multi-layer, multi-density foam laminates effectively absorb shock, dampens vibration and minimize fatigue and strain due to real-world riding conditions

3 GEL padded adhesive keeps tape firmly wrapped on the handlebar and prevents residue for easy installation




Advanced

Grind Touch



Material	Grind Touch, Rubber with Gel padded
Length	600mm
Width	30mm
Thickness	3mm
Quantity	1 Pair

COLOR

		
3628.54001 Black	3628.54002 Classic Blue	3628.54003 Kale Green

TAI CHI

The optimal amalgamation of power and beauty, combining strong yet lightweight design with the beauty of carbon fiber finished in a fusion of color textures



01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY

1 Tai Chi bottle cages are the optimal amalgamation of power and beauty, combining strong yet lightweight design with the beauty of carbon fiber finished in a fusion of color textures

3 Includes lightweight, corrosion-free aluminium alloy bolts



2 Aerospace 3k carbon composite material is skilfully layered into a high strength structure ensuring secure holding of your bottle

Premium

Craft Carbon Cage - Tai Chi



Type	Center Pull
Material	3K Carbon Weave
Height	145mm
Width	75mm
Weight	16±1g
Content	1 Piece

COLOR

3627.11001 Pearl White	3627.11002 Brilliant Red	3627.11003 Jet Black	3627.11004 Flash Gold	3627.11005 Flash Silver
3627.11006 Flash Sakura	3627.11008 Spectrum Flash	3627.11009 Spectrum Magic	3627.11010 Spectrum Reflective	





TUBELESS READY

Ciclovation Tubeless Ready products are perfect for your tubeless tire setup or conversion. We offer everything from tubeless tape in a variety of widths to feature-enhanced valves that make tubeless setup easier. And, while on the road or trail, our sealant products are engineered to last longer, seal better and are designed to keep you riding. Choose what you need individually or combine everything to get your tubeless wheels outfitted and rolling.



Advanced

Tire Sealant (60ml)



- ▶ Easy clean and smell naturally
- ▶ Excellent puncture resistance for holds up to 3.5mm
- ▶ Best performance with a wide range of temperatures (-30°C - +80°C)
- ▶ Maximum tire pressures up to 120psi
- ▶ For effective puncture resistance, add fresh sealant every 3-6 months depending on riding and weather conditions

• **3399.21101** - 60ml

Color/Material Milky White/Latex Based
Packaging Squeeze Bottle



Advanced

Tire Sealant (950ml)

- ▶ Ciclovation's all-conditions tire sealant uses an activated carbon compound for fast-acting sealing over a larger range of puncture sizes than conventional sealants. Once sealed, our sealing compound is more durable and longer lasting that competitors even in conditions of varying temperature and humidity.

• **3399.21102** - 950ml

Color/Material Milky White/Latex Based
Packaging Workshop Bottle



Advanced

Tubeless Rim Tape (10 Meters)



► High-performance rim tape for tubeless ready rims

- **3399.21205** - 20mm (Road)
- **3399.21201** - 22mm (Road)
- **3399.21202** - 24mm (Road)
- **3399.21209** - 27mm (Road)
- **3399.21206** - 30mm (MTB)

Color/Material Black/Polyester
Packaging Display Box



Advanced

Tubeless Rim Tape (50 Meters)

► Ciclovation's tubeless tape makes a tight barrier to better hold tire pressure with confidence. Our pliable tape and super strong adhesive is reliable and long lasting

- **3399.21207** - 20mm (Road)
- **3399.21203** - 22mm (Road)
- **3399.21204** - 24mm (Road)
- **3399.21210** - 27mm (Road)
- **3399.21208** - 30mm (MTB)

Color/Material Black/Polyester
Packaging Zipper Bag



Advanced

Valve Stem



► Ciclovation's high flow valve stem adds an additional lateral hole at the point of inflation within the tire for maximum airflow designed to make seating a tubeless tire easier and more efficient. Finally you can take full advantage of your air compressor or boosted floor pump to quickly and reliably seat tubeless tires without your valve stem limiting your airflow

- **3326.11101** - 40mm
- **3326.11102** - 50mm
- **3326.11103** - 70mm

Color/Material Black/Alloy Anodized



Advanced

Valve Extender



► Light-weight tubeless valve extender

- **3326.11104** - 30mm

Color/Material Black/Alloy Anodized



Advanced

Valve Cap



Ciclovation's 3-in1 Multi-function air cap includes:

- A valve core wrench to replace damaged cores or to remove a core to facilitate adding sealant without tire removal
- A valve stem extender to ensure a tight and secure interface to avoid leaks
- And it's also a durable, lightweight, alloy valve cap to keep valves clean and free of debris

- **3326.11105** - 1 Pair

Color/Material Black/Alloy Anodized



DISC BRAKE PAD

Designed to deliver balanced, long lasting stopping power and modulation with low-noise under a variety of conditions - a smart alternative to OEM brake pads

PACKAGING TYPE

1



1 Pair / Blister Pack

2



15 Pairs / Workshop Box

★ Ciclovation disc brake pads have been obtained TÜV approval.

★ **Organic Compound** - Quieter / Shorter bed in period / More initial bite

★ **Sintered Metallic Compound** - More Powerful / Fade at a higher temperature than organic pads / Better performance in wet conditions.



SHIMANO® B-TYPE
TEKTRO® AURIGA
TRP® HY/RD
RST® D-Power

▶ Shimano® LX T675, Deore T615, M525, M515, M515-LA, Alivio M4050, Nexave C601, C501, Tourney TX805, Non-Series M575, M486, M485, M475, M465, M447, M446, M445, M416, M416A, M4050, M415, M395, M375, M355

• **3516.21101**

1 Pair/Blister Pack

• **3516.21104**

15 Pairs/Workshop Box

Material Organic Compound / Steel Backing Plate

• **3516.17101**

1 Pair/Blister Pack

Material Sintered Metallic Compound / Steel Backing Plate



SHIMANO®
A-TYPE

▶ Shimano® XTR M965, M966, M975, Saint M800, Deore XT M776, M775, M765, SLX M776, Deore LX T665, M585, Hone M601, Deore M596, M595, M535, Alfine S501, S500, Non-Series R505, T605, M545

• **3516.21102**

1 Pair/Blister Pack

• **3516.21105**

15 Pairs/Workshop Box

Material Organic Compound / Steel Backing Plate



SHIMANO®
G-TYPE

▶ Shimano® XTR M9000, M9020, M988, M987, M985, Deore XT M785, Deore M615, SLX M666, M675, Alfine S700,
▶ Cyclocross and On-road Hydraulic disc brake R785, RS785

• **3516.21103**

1 Pair/Blister Pack

• **3516.21206**

15 Pairs/Workshop Box

Material Organic Compound / Steel Backing Plate

• **3516.17102**

1 Pair/Blister Pack

Material Sintered Metallic Compound / Steel Backing Plate



SHIMANO®
K-TYPE

▶ Shimano® DURA-ACE / ROAD HYDRAULIC

• **3516.21107**

1 Pair/Blister Pack

Material Organic Compound / Steel Backing Plate

• **3516.17203**

1 Pair/Blister Pack

Material Sintered Metallic Compound / Steel Backing Plate



SHIMANO® D-TYPE TEKTRO® TRP®

- ▶ BR-M810, M820 / Zee M640 HD-M745, M735 / HD-E725 Quadiem SL / Slate T4 / G-Spec Quadiem

- **3516.21108**
1 Pair/Blister Pack

Material Organic Compound / Steel Backing Plate



SRAM® ROAD/MTB - 2-PIECE CALIPER LEVEL, RED AXS, FORCE AXS, FORCE, RIVAL

- ▶ X0(2011-2016)/XX, World Cup(2010-2016)/ELIXIR/DB/LEVEL TL/LEVEL T/LEVEL/LEVEL ULT/TLM B1 (2020+)

- **3516.21201**
1 Pair/Blister Pack
- **3516.21208**
15 Pairs/Workshop Box

Material Organic Compound / Steel Backing Plate

- **3516.17201**
1 Pair/Blister Pack

Material Sintered Metallic Compound / Steel Backing Plate



AVID® BB7, JUICY

- **3516.21202**
1 Pair/Blister Pack
- **3516.21206**
15 Pairs/Workshop Box

Material Organic Compound / Steel Backing Plate



AVID® BB5 PROMAX® Render, Decipher

- **3516.21203**
1 Pair/Blister Pack
- **3516.21207**
15 Pairs/Workshop Box

Material Organic Compound / Steel Backing Plate

★ **Organic Compound** - Quieter / Shorter bed in period / More initial bite

★ **Sintered Metallic Compound** - More Powerful / Fade at a higher temperature than organic pads / Better performance in wet conditions.



SRAM® MTB
G2/GUIDE
AVID®
TRAIL

► Guide RSC, RS, R, Trail

• **3516.21204**
1 Pair/Blister Pack

Material Organic Compound /
Steel Backing Plate



SRAM® ROAD/MTB -
MONOBLOCK CALIPER
2017-2019, HYDRAULIC
DISC

► RED 22 B1/FORCE 22/CX1,
RIVAL 22/LEVEL ULTIMATE/TLM
A1 (2017-2019)

• **3516.21205**
1 Pair/Blister Pack

Material Organic Compound /
Steel Backing Plate



SRAM®
LEVEL (2017-2020)
AVID®
ELIXIR/DB (2015-2016)

► LEVEL/LEVEL T/LEVEL TL(2017-
2020)/ELIXIR/DB1/DB3/DB5(2015-
2016)

• **3516.21209**
1 Pair/Blister Pack

Material Organic Compound /
Steel Backing Plate



MAGURA®
MT8, MT6, MT4, MT2

• **3516.21301**
1 Pair/Blister Pack

Material Organic Compound /
Steel Backing Plate

• **3516.17202**
1 Pair/Blister Pack

Material Sintered Metallic
Compound /
Steel Backing Plate



FORMULA®
RR1, R1R, RO

► BR-M810, M820 / Zee M640 HD-M745, M735 / HD-E725 Quadiem SL / Slate T4 / G-Spec Quadiem

• **3516.21401**
1 Pair/Blister Pack

Material Organic Compound / Steel Backing Plate



FORMULA®
ORO

► X0(2011-2016)/XX, World Cup(2010-2016)/ELIXIR/DB/LEVEL TL/LEVEL T/LEVEL/LEVEL ULT/TLM B1 (2020+)

• **3516.21402**
1 Pair/Blister Pack

Material Organic Compound / Steel Backing Plate



HOPE®
V4

• **3516.21501**
1 Pair/Blister Pack

Material Organic Compound / Steel Backing Plate



TEKTRO®
IOX

• **3516.21701**
1 Pair/Blister Pack

Material Organic Compound / Steel Backing Plate

RIM BRAKE PAD

Brake pads for calipers and cantis that perform to factory level or better

PACKAGING TYPE

1



1 Pair / Header Card

2



1 Pair / Blister Pack

3



50 Pairs / Workshop Box

ROAD



Advanced

Road Brake Shoe Set Cartridge Type



- ▶ Advanced compound for aluminium rims with optimum gripping power
- ▶ High performance in both wet and dry conditions

Compound Compatibility Advanced Shimano® / SRAM® Road

COLOR



3514.21401 3514.21402

1 Pair/Header Card



3515.21401

1 Pair/Blister Pad Insert (Pin Included)



Basic

Road Brake Shoe Threaded Bolt & Nut



- ▶ All weather compound for aluminium rims with predictable gripping power
- ▶ Good performance in both wet and dry conditions

Compound Compatibility All Weather Shimano® / SRAM® Road

COLOR



3514.31402

2 Pairs/Header Card



Basic

City X-Caliper Threaded Bolt & Nut



- ▶ All weather compound for aluminium rims with predictable gripping power
- ▶ Good performance in both wet and dry conditions

Compound Compatibility All Weather City Bike

COLOR



3514.37404

2 Pairs/Header Card



3514.37402

50 Pairs/Workshop Box

CITY



Basic

Folding V-Brake Shoe Threaded Post



- ▶ All weather compound for aluminium rims with predictable gripping power
- ▶ Good performance in both wet and dry conditions

Compound Compatibility All Weather Folding Bikes (24"/20"/16")

COLOR



3514.38401

2 Pairs/Header Card

MOUNTAIN



Advanced

MTB V-Brake Shoe Set
Cartridge Type

- ▶ Advanced compound for aluminium rims with optimum gripping power
- ▶ High performance in both wet and dry conditions

Compound Advanced
Compatibility MTB

COLOR



3514.25407 3514.25402

1 Pair/Header Card



3515.23401

1 Pair/Blister
Pad Insert (Pin Included)



Basic

MTB V-Brake Shoe
Threaded Post

- ▶ All weather compound for aluminium rims with predictable gripping power
- ▶ Good performance in both wet and dry conditions

Compound All Weather
Compatibility MTB

COLOR



3514.35407

2 Pairs/Header Card



3514.35402

50 Pair/Workshop Box



Basic

MTB Canti-Brake Shoe
Smooth Post

- ▶ Advanced compound for aluminium rims with optimum gripping power
- ▶ High performance in both wet and dry conditions

Compound All Weather
Compatibility MTB

COLOR



3514.35408

2 Pairs/Header Card



3515.35406

50 Pair/Workshop Box

CABLE SET

A complete line of shift and brake cables, housing, barrel adjusters and cable management accessories for all your cable needs



01  BAR TAPE

02  HAND GRIP

03  BOTTLE CAGE

 TUBELESS READY



Premium High Performance

Universal Shift Cable Set



- ▶ Stainless steel stranded shift cable using Nano-slick surface polishing results in ultra low-friction shifting performance without the use of coatings that may wear off
- ▶ High performance compressionless outer casing designed for precise and effortless shifting
- ▶ Fully lubricated inner housing liner reduces friction and enhances shift lever feel
- ▶ Recommended for 11/12-speed drivetrains

Compatibility Shimano® / SRAM®
Outer Casing 4 mm Linear Lube (OSL LUBE 4.0)
Casing Length 3200 mm
Inner Cable 1.1 mm Stainless Nano Slick (ISN)
Cable Length Front: 1800 mm
 Rear: 2100 mm
Parts 2 x Sealed End Cap, Alloy / Black
 8 x Open End Cap, Alloy / Black
 6 x Cable Oring, Translucent (2 sets = 6 pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.2 mm, Alloy / Silver

COLOR




3511.31101



Premium High Performance

Road Brake Cable Set



- ▶ Linear compressionless outer casing is Kevlar® reinforced making it 30% lighter than conventional outer casing while maintaining maximum braking responsiveness
- ▶ Stainless steel stranded brake cable using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Fully lubricated inner housing liner reduces friction and enhances brake lever feel
- ▶ Compatible with all cable actuated road bike brake systems

Compatibility Shimano® / SRAM® Road
Outer Casing 5 mm Kevlar® Braided Reinforced Light-Weight, Compressionless Lube (OBK LITE 5.0)

Casing Length 1700 mm
Inner Cable 1.5 mm Stainless Nano Slick (ISN)
Cable Length Front: 850 mm
 Rear: 1700 mm

Parts 2 x Open End Cap, Alloy / Black
 2 x "POP" End Cap (to be contacted with Kevlar® Reinforced Casing to Standard Size Guides or Adjusters)
 3 x Cable Oring, Translucent (1 set=3pcs)
 2 x Frame Protector, Mini Black
 2 x EZ-Bend segments (Pre-installed with outer casing)
 2 x Cable Tip, 1.2 mm, Alloy / Silver

COLOR




3511.11301



Advanced Performance


Universal Shift Cable Set



- ▶ High performance compressionless outer casing designed for precise and effortless shifting
- ▶ Fully lubricated inner housing liner reduces friction and enhances lever feel
- ▶ Stainless steel low friction inner cable
- ▶ Recommended for 10-speed drivetrains

Compatibility Shimano® / SRAM®
Outer Casing 4 mm Linear Lube (OSL LUBE 4.0)
Casing Length 3200 mm
Inner Cable 1.1 mm Stainless Slick (ISS)
Cable Length Front: 1800 mm
 Rear: 2100 mm
Parts 2 x Sealed End Cap, Alloy / Black
 8 x Open End Cap, Alloy / Black
 6 x Cable Oring, Translucent (2 sets = 6 pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.2 mm, Alloy / Silver

COLOR



Advanced Performance


Road Brake Cable Set



- ▶ Low compression outer casing for predictable braking performance
- ▶ Fully lubricated inner housing liner reduces friction and enhances lever feel
- ▶ Stainless steel low friction inner cable
- ▶ Compatible with all cable actuated road bike brake systems

Compatibility Shimano® / SRAM® Road
Outer Casing 5 mm Coiled Lube (OBC LUBE 5.0)
Casing Length 1700 mm
Inner Cable 1.5 mm Stainless Slick (ISS)
Cable Length Front: 850 mm
 Rear: 1700 mm
Parts 4 x Open End Cap, Alloy / Black
 3 x Cable Oring, Translucent (1 set = 3 pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.8 mm, Alloy / Silver

COLOR





Advanced Performance


Mountain Brake Cable Set



- ▶ Low compression outer casing for predictable braking performance
- ▶ Fully lubricated inner housing liner reduces friction and enhances lever feel
- ▶ Stainless steel low friction inner cable
- ▶ Compatible with all cable actuated mountain bike brake systems

Compatibility Shimano® / SRAM®
Outer Casing 5 mm Coiled Lube (OBC LUBE 5.0)
Casing Length 3000 mm
Inner Cable 1.5 mm Stainless Slick (ISS)
Cable Length Front: 1350 mm
 Rear: 2350 mm
Parts 6 x Open End Cap, Alloy / Black
 3 x Cable Oring, Translucent (1 set = 3pcs)
 2 x Frame Protector, Mini Black
 2 x Cable Tip, 1.8 mm, Alloy / Silver

COLOR



3511.22301 3511.22302 3511.22303 3511.22304

INNER CABLE

A complete line of shift and brake cables manufactured to the highest standards and to ensure consistent operation




01 — BAR TAPE

02 — HAND GRIP

03 — BOTTLE CAGE

— TUBELESS READY


PREMIUM HIGH PERFORMANCE



ISC - Fluoropolymer Coated

- ▶ Superior low friction performance
- ▶ Stainless steel inner cable underneath is corrosion resistant
- ▶ SHIMANO®/SRAM® 11/12 Speed shifting systems recommended
- ▶ Strongly recommended to use with lined end caps for preventing abrasion


PREMIUM HIGH PERFORMANCE



ISN - Stainless Nano-Slick

- ▶ Stainless Nano-polished, ultra-slick delivers incredibly accurate, smooth responses. It's so critical to 11-12 speed drivetrains
- ▶ Uncoated surface has nothing to flake off during installation or riding, it can be used with any outer casing and lubricant
- ▶ 10/11/12 speed shifting systems recommended


ADVANCED PERFORMANCE



ISS - Stainless-Slick IZS - Zinc-Slick

- ▶ Low friction and elongation provides precise and effortless shifting performance
- ▶ Stainless steel inner cables are corrosion resistant
- ▶ Compatible with 10 speed shift system


BASIC



ISR - Stainless Regular IZR - Zinc Regular

- ▶ Regular zinc or stainless steel inner cable is great for entry-level, low-cost bike repairs
- ▶ Compatible with 7/8/9 speed shift systems

PERFORMANCE COMPARISON



■ Polymer-Coated
 ■ Nano-Slick
 ■ Stainless-Slick

ISC - Fluoropolymer Coated

- ▶ Superior low friction performance
- ▶ Better use with lined end cap for preventing abrasion

ISN - Stainless Nano-Slick

- ▶ Uncoated surface has nothing to flake off
- ▶ Stainless nano-polished, ultra-slick for accurate and smooth responses

ISS - Stainless-Slick

- ▶ Corrosion resistant
- ▶ Low friction and elongation provides precise and effortless performance

Performance / Cable Type	Polymer-Coated	Nano-Slick	Stainless-Slick
Smoothness	10	10	8
Durability	6	10	8
Rust Resistance	10	10	10
Easy Assembly	8	10	10
Uniqueness	10	8	6
Shift System Compatibility	11-12 speed	10-11-12 speed	10 speed

SHIFT



Premium High Performance

Polymer-Coated Shift Inner Cable



- ▶ Stainless-Slick cable coated with superior fluoropolymer creates ultra-low friction performance
- ▶ Strongly recommended to use with lined end caps for preventing abrasion

Diameter 1.1 mm
Material Gold, Stainless steel coated with Fluoropolymer

- **3513.11601** - SHIMANO®/SRAM®
 Compatible/2100mm/Single Cable Pack

Premium High Performance

Nano-Slick Shift Inner Cable



- ▶ Stainless steel stranded shift cable using Nano-slick surface polishing results in ultra low-friction shifting performance without the use of coatings that may wear off
- ▶ Recommended for 10/11/12-speed drivetrains
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.1 mm
Material Shining Silver, Stainless Nano-Slick

- **3513.11701** - SHIMANO®/SRAM®
 Compatible/2100mm/Single Cable Pack
- **3513.11702** - SHIMANO®/SRAM®
 Compatible/2100mm/20 Pcs/Workshop Box
- **3513.12701** - Campagnolo®
 Compatible/2100mm/Single Cable Pack
- **3513.12702** - Campagnolo®
 Compatible/2100mm/20 Pcs/Workshop Box
- **3513.13702** - Brompton Hub Gear
 Compatible/2100mm/20 Pcs/Workshop Box



Advanced Performance

Stainless Slick Shift Inner Cable



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for consistently effortless shifting performance
- ▶ Recommended for 10-speed drivetrains
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.1 mm
Material Stainless-Slick

- **3513.21201** - SHIMANO®/SRAM® Compatible/2100mm/Single Cable Pack
- **3513.21202** - SHIMANO®/SRAM® Compatible/3000mm/Single Cable Pack
- **3513.21203** - SHIMANO®/SRAM® Compatible/2100mm/100 Pcs/Workshop Box
- **3513.22201** - Campagnolo® Compatible/2100mm/Single Cable Pack



Advanced Performance

Stainless-Slick Shift Inner Cable



- ▶ Advanced die-drawn stainless steel and zinc cable is low friction with minimal elongation for consistently effortless shifting performance
- ▶ Recommended for 10-speed drivetrains
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.1 mm
Material Zinc-Slick

- **3513.21401** - SHIMANO®/SRAM® Compatible/2100mm/100 Pcs/Workshop Box



Basic

Zinc Shift Inner Cable



- ▶ Standard inner shift cable
- ▶ Compatible with Shimano® and SRAM® 7/8/9-speed drivetrains

Diameter 1.2 mm
Material Zinc Regular

- **3513.34501** - SHIMANO®/SRAM®/Huret/Schwinn/Benelu/Simplex Systems Compatible/Double-ended/2100mm/Single Cable Pack

BRAKE - ROAD



Premium High Performance

Polymer-Coated Road Brake Inner Cable



- ▶ Stainless-Slick cable coated with superior fluoropolymer creates ultra-low friction performance
- ▶ Strongly recommend to use with lined end caps for preventing abrasion

Diameter 1.5 mm
Material Gold, Stainless steel coated with Fluoropolymer

- **3513.15601** - SHIMANO®/SRAM®
 Compatible/1700mm/Single Cable Pack

Premium High Performance

Nano-Slick Road Brake Inner Cable



- ▶ Stainless steel stranded brake cable for road bikes using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.5 mm
Material Shining Silver, Stainless Nano-Slick

- **3513.15701** - SHIMANO®/SRAM®
 Compatible/1700mm/Single Cable Pack
- **3513.15702** - SHIMANO®/SRAM®
 Compatible/1700mm/20 Pcs/Workshop Box
- **3513.17701** - Campagnolo®
 Compatible/1700mm/Single Cable Pack
- **3513.17702** - Campagnolo®
 Compatible/1700mm/20 Pcs/Workshop Box



Advanced Performance

Stainless Slick Road Brake Inner Cable



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for smooth and responsive braking performance
Compatible with all cable actuated road bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.5 mm
Material Stainless-Slick

- **3513.25201** - SHIMANO®/SRAM®
Compatible/1700mm/Single Cable Pack
- **3513.25202** - SHIMANO®/SRAM®
Compatible/1700mm/100 Pcs/Workshop Box
- **3513.27201** - Campagnolo®
Compatible/1700mm/Single Cable Pack



Advanced Performance

Slick Road Brake Inner Cable



- ▶ Advanced die-drawn stainless steel and zinc cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated road bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.5 mm
Material Zinc-Slick

- **3513.25401** - SHIMANO®/SRAM®
Compatible/1700mm/100 Pcs/Workshop Box



Basic

Zinc Universal Brake Inner Cable



- ▶ Zinc coated standard inner brake cable
- ▶ Compatible with cable actuated mountain bike brake systems

Diameter 1.5 mm
Material Zinc Regular

- **3513.36501** - SHIMANO®/SRAM® Mountain & Road Compatible/Double ended/1700mm/Single Cable Pack
- **3513.36502** - SHIMANO®/SRAM® Mountain & Road Tandem Compatible/Double ended/3500mm/Single Cable Pack

BRAKE - MOUNTAIN



Premium High Performance

Nano-Slick Mountain Brake Inner Cable



- ▶ Stainless steel stranded brake cable for mountain bikes using Nano-slick surface polishing results in ultra low-friction braking performance without the use of coatings that may wear off
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.5 mm
Material Shining Silver, Stainless Nano-Slick

- **3513.16701** - SHIMANO®/SRAM® Compatible/1700mm/Single Cable Pack
- **3513.16702** - SHIMANO®/SRAM® Compatible/1700mm/20 Pcs/Workshop Box



Advanced Performance

Stainless Slick Mountain Brake Inner Cable



- ▶ Advanced die-drawn stainless steel cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated mountain bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.5 mm
Material Stainless-Slick

- **3513.26201** - SHIMANO®/SRAM® Compatible/1700mm/Single Cable Pack
- **3513.26203** - SHIMANO®/SRAM® Compatible/1700mm/100 Pcs/Workshop Box



Advanced Performance

Slick Mountain Brake Inner Cable



- ▶ Advanced die-drawn stainless steel and zinc cable is low friction with minimal elongation for smooth and responsive braking performance
- ▶ Compatible with all cable actuated mountain bike brake systems
- ▶ Compatible with all high performance outer casing, lubricants and end caps

Diameter 1.5 mm
Material Zinc-Slick

- **3513.26401** - SHIMANO®/SRAM® Mountain & Compatible/1700mm/100 Pcs/Workshop Box



OUTER CASING

Meets all standard regulations to delivery reliable, high-quality, durable performance



01 ——— BAR TAPE

02 ——— HAND GRIP

03 ——— BOTTLE CAGE


——— TUBELESS READY

BRAKE

PREMIUM



**OBK LITE
5mm**




Outer Casing Brake Kevlar® Braided Reinforced Lightweight (OBK LITE) - 5mm

- ▶ Kevlar® reinforced outer casing results in crisp brake level feel
Compassionless
- ▶ Super light weight, 30% less than conventional outer casing
- ▶ Lubricant is consistently distributed throughout the outer casing (and remains in the outer casing)
- ▶ Fully lubricated liner reduces friction and enhances lever feel

ADVANCED



**OBC LUBE
5mm**




Outer Casing Brake Coiled (OBC LUBE) - 5mm

- ▶ Super-low compression OBC LUBE outer casing, high carbon, coiled steel provides smooth braking performance
- ▶ Lubricant is consistently distributed throughout the outer casing (and remains in the outer casing)
- ▶ Fully lubricated liner reduces friction and enhances lever feel

BASIC



**OBC
5mm**




Outer Casing Brake Coiled (OBC) - 5mm

- ▶ Basic coiled steel brake outer casing with non-lubricated liner
- ▶ Low-cost and long-lasting performance ideally for entry-level bike service



Premium Super Lightweight

OBK LITE Brake Outer Casing



- ▶ Linear compressionless outer casing is Kevlar® reinforced making it 30% lighter than conventional outer casing while maintaining maximum braking responsiveness
- ▶ Fully lubricated, low friction polymer inner liner
- ▶ Ideal for high performance bicycle using mechanical disc or rim brakes requiring full-length housing

COLOR




3512.12201

Packaging

10 Meters/Zipper Bag
6 x POP End Cap, Alloy / Black
6 x EZ-Bend segments
Included

Advanced Performance

OBC LUBE Brake Outer Casing



- ▶ Low compression coiled steel outer casing designed for positive braking
- ▶ Fully lubricated, low friction polymer inner liner
- ▶ Compatible with all cable actuated road and mountain bike brake systems

COLOR



3512.21201



3512.21202



3512.21203



3512.21204

Packaging


10 Meters/Zipper Bag





Advanced Performance

OBC LUBE Brake Outer Casing



- ▶ Low compression coiled steel outer casing designed for positive braking
- ▶ Fully lubricated, low friction polymer inner liner
- ▶ Compatible with all cable actuated road and mountain bike brake systems

COLOR



3512.21205

Packaging

40 Meters/Workshop Box



OBC Brake Outer Casing



- ▶ Basic coiled steel brake outer casing with non-lubricated liner
- ▶ Low-cost and long-lasting performance ideally for entry-level bike service

COLOR



3512.31101


Packaging

40 Meters/Workshop Box

SHIFT


PREMIUM

ADVANCED


**OSL LUBE
4mm**

Outer Casing Shift Linear (OSL LUBE) - 4mm

- ▶ Ultra-low friction OSL LUBE provides precise and effortless shifting performance
- ▶ Lubricant is consistently distributed throughout the outer casing (and remains in the outer casing)
- ▶ Fully lubricated liner reduces friction and enhances lever feel

BASIC


OSL 4mm

Outer Casing Shift Linear (OSL) - 4mm

- ▶ OSL shift outer casing uses linear steel strands wrapped with non-lubricated liner
- ▶ Low cost and long-lasting performance for entry-level bike service

Advanced Performance

OSL LUBE Shift Outer Casing



- ▶ Linear compressionless outer casing designed for precise and effortless shifting
- ▶ Fully lubricated, low friction polymer inner liner
- ▶ Compatible with all cable actuated road and mountain bike shift systems

COLOR



3512.23201



3512.23202



3512.23203



3512.23204

Packaging

10 Meters/Zipper Bag

COLOR



3512.23205

Packaging

50 Meters/Workshop Box

Basic

OSL Shift Outer Casing



- ▶ Basic linear strand outer casing with non-lubed liner
- ▶ Low-cost and long-lasting performance ideally for entry-level bike service

COLOR



3512.23205

Packaging


50 Meters/Workshop Box



ACCESSORY

A complete line of shift and brake cables, housing, barrel adjusters and cable management accessories for all your cable needs


PACKAGING TYPE



Blister Pack



Workshop Dispenser



Zipper Bag



Workshop Dispenser

- ▶ New revolutionary workshop dispenser bottle for parts & accessories
- ▶ Stackable, easy to use and refill
- ▶ Box of 4 Bottles, Caps, Plugs and Stickers are included

- **3518.23161** - Cardboard Box (4 Sets)

Material Body/Cap - PP, Plug - PE
Color Translucent

SHIFT



Shift Sealed End Cap (Alloy)

- ▶ Featured a small rubber o-ring in the base to help prevent dirt and debris from entering the outer casing
- ▶ Keep lower friction performance with protection against contaminants
- ▶ Fits 4.0 mm outer casing; best use with lubed shift outer casing

- **3517.12101** - Dispenser (50 Pieces)
- **3517.12102** - Zipper Bag (50 Pieces)

Size 4.0 mm
Material Alloy
Color Black Anodized



Shift Sealed End Cap (Plastic)

- ▶ Featured a small rubber o-ring in the base to help prevent dirt and debris from entering the outer casing
- ▶ Keep lower friction performance with protection against contaminants
- ▶ Fits 4.0 mm outer casing; best use with lubed shift outer casing

- **3517.12301** - Dispenser (100 Pieces)
- **3517.12302** - Zipper Bag (100 Pieces)

Size 4.0 mm
Material Plastic
Color Black



Shift Open End Cap (Alloy)

- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 4.0 mm outer casing

- **3517.11101** - Dispenser (50 Pieces)
- **3517.11102** - Zipper Bag (50 Pieces)

Size 4.0 mm
Material Alloy
Color Black Anodized



Shift Open End Cap (Brass)

- ▶ Less expensive and do little to protect the system from contaminates
- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 4.0 mm outer casing

- **3517.11201** - Dispenser (50 Pieces)
- **3517.11202** - Zipper Bag (50 Pieces)

Size 4.0 mm
Material Brass
Color Black



Shift Open End Cap (Plastic)

- ▶ Less expensive and do little to protect the system from contaminates
- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 4.0 mm outer casing

- **3517.11301** - Dispenser (100 Pieces)
- **3517.11302** - Zipper Bag (100 Pieces)

Size 4.0 mm
Material Plastic
Color Black

BRAKE



Brake Open End Cap (Alloy)

- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 5.0 mm outer casing

- **3517.31101** - Dispenser (50 Pieces)
- **3517.31102** - Zipper Bag (50 Pieces)

Size 5.0 mm
Material Alloy
Color Black Anodized



Brake Open End Cap (Brass)

- ▶ Less expensive and do little to protect the system from contaminates
- ▶ Use open end caps when litter protection from dirt is needed
- ▶ Fits 5.0 mm outer casing

- **3517.31201** - Dispenser (200 Pieces)
- **3517.31202** - Zipper Bag (200 Pieces)

Size 5.0 mm
Material Brass (Crimp to secure)
Color Chrome Plated

OTHER



Frame Mounted Adjuster (M5)

- ▶ Allows fine tuning of shift settings
- ▶ Fit in the frame with 4.0 mm outer casing
- ▶ Not recommended for use with brake systems

- **3518.14131** - Blister Pack (2 Pieces)
- **3518.14133** - Zipper Bag (30 Pieces)

Size Fits 4.0 mm Outer Casing
Material Alloy / Nylon
Color Black Rubber-Coated



Rotating Hook

- ▶ Prevent outer casing against outer casing slapping
- ▶ For use with shift, brake outer casing and hydraulic hose
- ▶ Fits 5.5 mm & smaller size of outer casings

- **3518.17161** - Blister Pack (4 Pieces)
- **3518.17163** - Zipper Bag (50 Pieces)

Material Nylon
Color Black



Stick-On Cable Guide

- ▶ Guide stickers with 3M adhesive for shift, brake outer casing and hydraulic hose
- ▶ Fits 5.5 mm & smaller size of outer casings

- **3518.16131** - Blister Pack (4 Pieces)
- **3518.16133** - Zipper Bag (30 Pieces)

Material Alloy Plate with Nylon C-Clip
Color Black



Frame Protector, Mini Type

- ▶ Protect a frame's finish from scratches and keep noise to a minimum
- ▶ Fits 5.5 mm & smaller sizes of outer casing

- **3518.18233** - Dispenser (50 Pieces)
Black
- **3518.18234** - Dispenser (50 Pieces)
Color Mix (10 Pieces each)
- **3518.18251** - Zipper Bag (100 Pieces)
Black
- **3518.18257** - Zipper Bag (100 Pieces)
Color Mix (20 Pieces each)

Material Silicon



Brake Noodles & Boots

- ▶ Featured 90° stainless V-Brake pipes with rubber cover included

- **3518.22221** - Zipper Bag (10 Sets)

Size Fits V-Brake
Material Stainless Noodle & Rubber Boot
Color Silver / Black



Cable O-Rings

- ▶ Fits 1.6 mm & smaller size of inner cables

- **3518.21241** - Dispenser (200 Pieces)
- **3518.21242** - Zipper Bag (200 Pieces)

Material TPR
Color Translucent



Shift Cable Tips

- ▶ Compatible with shift inner cables
- ▶ Fits 1.2 mm & small size Inner Cable

- **3518.12111** - Dispenser (500 Pieces)
- **3518.12112** - Zipper Bag (500 Pieces)

Material Alloy
Color Silver



Brake Cable Tips

- ▶ Compatible with brake inner cables
- ▶ Fits 1.8 mm & small size Inner Cable

- **3518.11111** - Dispenser (500 Pieces)
- **3518.11112** - Zipper Bag (500 Pieces)

Material Alloy
Color Silver



Cable Cutter

- ▶ High-carbon steel carbon steel makes this cable cutter super durable for ease of cutting cables, outer casings

- **3621.31101** - Header Card (1 Piece)

Material High-carbon Steel
Color Black



HUANGS SMART CYCLING, INC.

4F-5, No. 3, Keji Rd., Dali Dist.,
Taichung City, Taiwan (R.O.C.) 41264
T. 886.4.2491.1998 / F. 886.4.2491.2589
info@ciclovation.com

Copyright 2021.07 CICLOVATION. All rights reserved.



www.ciclovation.com